



## End-of-Sale and End-of-Life Announcement for Select Cisco Aironet 802.11B-Based and First-Generation 802.11A-Based Products

Cisco Systems® announces the end-of-sale and end-of-life dates for the Cisco® Aironet® products detailed in Table 1 and highlighted as follows:

- Cisco Aironet 1200 (no radio) and 1220B VxWorks-based 802.11b access points
- 1230B and 1120B IOS-based 802.11b access points
- Cisco Aironet 350 access point radio modules
- Cisco Aironet 350 802.11b workgroup bridges
- Cisco Aironet 350 wireless bridges
- Cisco Aironet 5 GHZ 54 Mbps Wireless LAN Client Adapter
- Various accessories and kits

The last day to order the affected products is November 24, 2005. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) until November 24, 2010. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product. Table 2 lists the product part numbers affected by this announcement.

This action on the above mentioned 1200 and 1220B access points marks the end-of-life for all autonomous (non-lightweight) VxWorks based devices as per the below support policies. Customers are urged to migrate to IOS-based access points or 1000 Series lightweight access points.

Customers are encouraged to migrate to 802.11b/g- and 802.11a/b/g-compliant successor products as detailed in Table 1. All successor products are fully backward-compatible with these announced products, and provide additional capabilities as well. More information on these replacement products can be found at: <http://www.cisco.com/en/US/products/hw/wireless/index.html>

**Table 1.** Product Part Numbers Affected by this Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
AIR-AP1220B-A-K9	Cisco Aironet 1220 VxWorks-based 802.11b access point with available Cardbus slot; FCC configuration	AIR-AP1232AG-A-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; FCC configuration
AIR-AP1220B-E-K9	Cisco Aironet 1220 VxWorks-based 802.11b access point with available Cardbus slot; ETSI configuration	AIR-AP1232AG-E-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; ETSI configuration
AIR-AP1220B-J-K9	Cisco Aironet 1220 VxWorks-based 802.11b access point with available Cardbus slot; Japan configuration	AIR-AP1232AG-J-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; Japan configuration
AIR-AP1230B-E-K9	Cisco Aironet 1230 802.11b access point with Cisco IOS Software and available Cardbus slot; ETSI configuration	AIR-AP1232AG-E-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; ETSI configuration
AIR-AP1230B-I-K9	Cisco Aironet 1230 802.11b access point with Cisco IOS Software and available Cardbus slot; Israel configuration	AIR-AP1231G-I-K9	Cisco Aironet 1231 802.11g access point with Cisco IOS Software and available Cardbus slot; Israel configuration
AIR-AP1230B-J-K9	Cisco Aironet 1230 802.11b access point with Cisco IOS Software and available Cardbus slot; JAPAN configuration	AIR-AP1232AG-J-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; Japan configuration

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
AIR-AP1230B-A-K9	Cisco Aironet 1230 802.11b access point with Cisco IOS Software and available Cardbus slot; FCC configuration	AIR-AP1232AG-A-K9	Cisco Aironet 1232 802.11a/g dual-radio access point with Cisco IOS Software; FCC configuration
AIR-AP1200	Cisco Aironet 1200 Series VxWorks-based access point platform with CardBus and MPCl slots (no radio) and Ethernet uplink	AIR-AP1210	Cisco Aironet 1210 access point with Cisco IOS Software, Cardbus and MPCl slots (no radios), and Ethernet uplink
AIR-AP1120B-A-K9	Cisco Aironet 1120 802.11b access point with single MPCl radio and integrated antenna; FCC configuration	AIR-AP1131AG-A-K9	Cisco Aironet 1131 802.11a/g access point with integrated radios and antennas; FCC configuration
AIR-AP1120B-I-K9	Cisco Aironet 1120 802.11b access point with single MPCl radio and integrated antenna; Israel configuration	AIR-AP1121G-E-K9	Cisco Aironet 1121 802.11g access point with single MPCl radio and integrated antenna; ETSI configuration
AIR-AP1120B-E-K9	Cisco Aironet 1120 802.11b access point with single MPCl radio and integrated antenna; ETSI configuration	AIR-AP1131AG-E-K9	Cisco Aironet 1131 802.11a/g access point with integrated radios and antennas; ETSI configuration
AIR-AP1120B-J-K9	Cisco Aironet 1120 802.11b access point with single MPCl radio and integrated antenna; Japan configuration	AIR-AP1131AG-J-K9	Cisco Aironet 1131 802.11a/g access point with integrated radios and antennas; Japan configuration
AIR-MP20B-A-K9=	2.4 GHz, 11 Mbps access point mini-PCI module; FCC configuration	AIR-MP21G-A-K9=	802.11g upgrade radio module for Cisco Aironet 1100 and 1200 series access points; FCC configuration
AIR-MP20B-I-K9=	2.4 GHz, 11 Mbps access point mini-PCI module; Israel configuration	AIR-MP21G-I-K9=	802.11g upgrade radio module for Cisco Aironet 1100 and 1200 series access points; Israel configuration
AIR-MP20B-J-K9=	2.4 GHz, 11 Mbps access point mini-PCI module; JAPAN configuration	AIR-MP21G-J-K9=	802.11g upgrade radio module for Cisco Aironet 1100 and 1200 series access points; JAPAN configuration
AIR-MP20B-E-K9=	2.4 GHz, 11 Mbps access point mini-PCI module; ETSI configuration	AIR-MP21G-E-K9=	802.11g upgrade radio module for Cisco Aironet 1100 and 1200 series access points; ETSI configuration
AIR-CB20A-A-K9	802.11a Cardbus adapter with integrated antenna; FCC configuration	AIR-CB21AG-A-K9	802.11a/b/g CardBus adapter; FCC configuration
AIR-CB20A-J-K9	802.11a Cardbus adapter with integrated antenna; JAPAN configuration	AIR-CB21AG-J-K9	802.11a/b/g CardBus adapter; JAPAN configuration
AIR-CB20A-T-K9	802.11a Cardbus adapter with integrated antenna; Taiwan configuration	AIR-CB21AG-W-K9	802.11a/b/g CardBus adapter; Rest of World configuration (QUERY: Is 'Rest of World' a common concept?)
AIR-CB20A-S-K9	802.11a Cardbus adapter with integrated antenna; Singapore configuration	AIR-CB21AG-W-K9	802.11a/b/g CardBus adapter; Rest of World configuration
AIR-WGB352C	802.11b workgroup bridge with captured dipole antenna	AIR-AP1121G-x-K9 (workgroup bridge mode available as of November 2004)	Cisco Aironet 1121 802.11a/g access point with integrated radios and antennas; xx* configuration
AIR-WGB352R	802.11b workgroup bridge with dual RP-TNC connectors	AIR-AP1231G-x-K9 (workgroup bridge mode available as of April 2005)	Cisco Aironet 1231 802.11a/g dual-radio access point with Cisco IOS Software; xx* configuration
AIR-BR350-A-K9	2.4 GHz, 11 Mbps Wireless bridge with dual RP-TNC connectors; FCC configuration	AIR-BR1310G-A-K9 or AIR-BR1310G-A-K9-R	Cisco Aironet 1310 outdoor access point/bridge with integrated antenna or connectorized (-R version) FCC configuration

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
AIR-BR350-E-K9	2.4 GHz, 11 Mbps Wireless bridge with dual RP-TNC connectors; ETSI configuration	AIR-BR1310G-E-K9 or AIR-BR1310G-E-K9-R	Cisco Aironet 1310 outdoor access point/bridge with integrated antenna or connectorized (-R version) ETSI configuration
AIR-BR350-J-K9	2.4 GHz, 11 Mbps Wireless bridge with dual RP-TNC connectors; JAPAN configuration	AIR-BR1310G-J-K9 or AIR-BR1310G-J-K9-R	Cisco Aironet 1310 outdoor access point/bridge with integrated antenna or connectorized (-R version) JAPAN configuration
AIR-SSB350-A-K9	2.4 GHz wireless building-to-building kit; FCC configuration	The replacement for this SKU is to buy the pieces as separate items: <ul style="list-style-type: none"> <li>Qty. 2: AIR-BR1310G-A-K9-R</li> <li>Qty. 2: AIR-ANT1949</li> <li>Qty. 2: AIR-CAB050LL-R</li> <li>Qty. 2: AIR-ACC245LA-R</li> </ul>	Qty. 2: Cisco Aironet 1310 outdoor access point/bridge with RP-TNC connectors; FCC configuration Qty. 2: 2.4 GHz, 13.5 dBi Yagi mast mount antenna with RP-TNC connector Qty. 2: 50 ft low-loss cable assembly with RP-TNC connectors Qty. 2: 2.4 and 5 GHz lightning arrestor with RP-TNC connector
AIR-SSB350-J-K9	2.4 GHz wireless building-to-building kit; JAPAN configuration	The replacement for this SKU is to buy the pieces as separate items: <ul style="list-style-type: none"> <li>Qty. 2: AIR-BR1310G-J-K9-R</li> <li>Qty. 2: AIR-ANT1949</li> <li>Qty. 2: AIR-CAB050LL-R</li> <li>Qty. 2: AIR-ACC245LA-R</li> </ul>	Qty. 2: Cisco Aironet 1310 outdoor access point/bridge with RP-TNC connectors; Japan configuration Qty. 2: 2.4 GHz, 13.5 dBi Yagi mast mount antenna with RP-TNC connector Qty. 2: 50-ft low-loss cable assembly with RP-TNC connectors Qty. 2: 2.4 and 5 GHz lightning arrestor with RP-TNC connector
AIR-SSB350-E-K9	2.4 GHz wireless building-to-building kit; ETSI configuration	The replacement for this SKU is to buy the pieces as separate items: <ul style="list-style-type: none"> <li>Qty. 2: AIR-BR1310G-E-K9-R</li> <li>Qty. 2: AIR-ANT1949</li> <li>Qty. 2: AIR-CAB050LL-R</li> <li>Qty. 2: AIR-ACC245LA-R</li> </ul>	Qty. 2: Cisco Aironet 1310 outdoor access point/bridge with RP-TNC connectors; ETSI configuration Qty. 2: 2.4 GHz, 13.5 dBi Yagi mast mount antenna with RP-TNC connector Qty. 2: 50 ft low-loss cable assembly with RP-TNC connectors Qty. 2: 2.4 and 5 GHz lightning arrestor with RP-TNC connector
AIR-PWRINJ=	Cisco Aironet 350 Series single-port power injector (spare)	No replacement	See Refurbishment Program details below
AIR-PWR1783=	Cisco Aironet 350 Series workgroup bridge 110V-only power supply (spare)	No replacement	See Refurbishment Program details below
AIR-PWR1793=	Cisco Aironet 350 Series workgroup bridge 110–220V power supply (spare)	No replacement	See Refurbishment Program details below
AIR-ACC5559-072	Serial cable for Cisco Aironet 340/350 Series access point console port configuration	No replacement	See Refurbishment Program details below
AIR-ACC3354	Lightning arrestor with grounding ring and RP-TNC connector	AIR-ACC245LA-R	2.4 and 5 GHz lightning arrestor with RP-TNC connector

\* Indicates appropriate regulatory domain: FCC, ETSI, Japan, Taiwan, JAPAN, Singapore, China, Israel, North America, or Japan.

**Table 2.** End-of-Life Milestones and Dates for the Cisco Aironet Products Detailed in Table 1

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	May 24, 2005
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	November 24, 2005
Last Shipment Date	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	February 24, 2006
End of Software Maintenance Releases Date	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	November 24, 2006
End of Routine Failure Analysis Date	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	November 24, 2006
End of New Service Attachment Date	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	November 24, 2006
End of Service Contract Renewal Date	The last date to extend or renew a service contract for the product.	February 24, 2010 (for hardware contracts) February 24, 2008 (for software contracts)
Last Date of Support	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	November 24, 2010 (for hardware or operating system software) November 24, 2008 (for application software)

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about the Cisco TMP, visit <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale products through Cisco's Authorized Refurbished Equipment program. Refurbished units of end-of-sale products are available in limited supply for sale in certain countries on a first-come, first-served basis. For more information about the refurbished equipment program, visit [http://www.cisco.com/en/US/ordering/or6/or17/order\\_refurbished\\_equipment\\_program\\_description.html](http://www.cisco.com/en/US/ordering/or6/or17/order_refurbished_equipment_program_description.html).

#### FOR MORE INFORMATION

For more information about Cisco wireless LAN products, visit <http://www.cisco.com/go/wireless> or contact your local account representative.

For more information about the Cisco end-of-life policy, visit [http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html).

To subscribe to receive end-of-life and end-of-sale information, visit <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.

**Corporate Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 526-4100

**European Headquarters**

Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
www-europe.cisco.com  
Tel: 31 0 20 357 1000  
Fax: 31 0 20 357 1100

**Americas Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-7660  
Fax: 408 527-0883

**Asia Pacific Headquarters**

Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
www.cisco.com  
Tel: +65 6317 7777  
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on **the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus  
Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel  
Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal  
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan  
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2006 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)

